

Per policy, use of these medications is restricted as noted.

	generic (Brand)	Comments
A	abatacept (Orencia) <i>Actemra - see tocilizumab</i> <i>Actonel - see risedronate</i>	Restricted from being administered at IMH, including ICS.
	adalimumab (Humira)	Restricted from being administered at IMH, including ICS.
	albuterol (ProAir, Ventolin)	Inhalers restricted to ventilator patients, SNF only. Inpatient orders will be converted to albuterol nebs.
	albuterol-ipratropium (Combivent)	Inhalers restricted to ventilator patients, SNF only. Inpatient orders will be converted to albuterol-ipratropium (DuoNeb) nebs.
	alendronate (Fosamax) <i>Aredia - see pamidronate</i> <i>Atrovent - see ipratropium</i>	HB-SNF only, hold for inpatients
B	belimumab (Benlysta) <i>Benlysta - see belimumab</i> <i>Boniva - see ibandronate</i>	Restricted from being administered at IMH, including ICS.
	buprenorphine (Subutex, Suboxone)	New starts of buprenorphine for pain or dependence treatment will not be allowed at IHS. Indications for buprenorphine are limited to the following: (1) Continuation of buprenorphine therapy for the maintenance of opioid dependence when the patient is admitted for a medical condition other than opioid addiction. (2) Continuation of chronic pain management if buprenorphine was taken prior to admission. See policy for more details.
C	calcitonin (Miacalcin)	Use injection for Paget's disease and hypercalcemia (for hypercalcemia, restricted to ICS and 24 hours duration for inpatients). Use nasal spray for osteoporosis.
	ceftaroline (Teflaro) <i>Cinqair - see reslizumab</i>	ID use only
	colistimethate (Colistin) <i>Colistin - see colistimethate</i> <i>Combivent - see albuterol-ipratropium</i> <i>Cubicin - see DAPTOMycin</i>	ID use only
D	dalfopristin-quinupristin (Synercid) DAPTOMycin (Cubicin)	ID use only
	denosumab (Prolia, Xgeva) <i>Depo-Testosterone - see testosterone</i> <i>Dificid - see fidaxomicin</i> <i>Dolophine - see methadone</i>	Restricted from being administered at IMH, including ICS.
E	<i>Entyvio - see vedolizumab</i>	
F	fidaxomicin (Dificid) <i>Fosamax - see alendronate</i>	ID use only
G	<i>Glucophage - see metFORMIN (and combinations)</i>	
H	<i>Humira - see adalimumab</i>	
I	ibandronate (Boniva) <i>Inflectra - see inFLIXimab</i>	HB-SNF only, hold for inpatients
	inFLIXimab (Remicade, Inflectra)	Restricted from being administered at IMH, including ICS.

Per policy, use of these medications is restricted as noted.

	generic (Brand)	Comments
	ipratropium (Atrovent)	Inhalers restricted to ventilator patients, SNF only. Inpatient orders will be converted to ipratropium nebs.
L	levalbuterol (Xopenex)	DNS orders
M	metFORMIN (and combinations) (Glucophage)	use for OB/GYN or HB-SNF patients only - use QIDACHS (q6h if NPO) low-dose insulin sliding scale for inpatients (exception: no sliding scale if metFORMIN used for non-diabetic indications)
	methadone (Dolophine)	A. Methadone may be dispensed for the treatment of pain. This includes using methadone as a part of a formal pain management program in which a patient is switched from other licit drugs to methadone to control or gradually reduce dosage. B. Methadone may only be used to maintain narcotic addiction or to detoxify a patient when the prescriber is registered by the DEA as a narcotic treatment facility (NTF). In such cases, the drug may only be administered by the NTF. See policy for more details.
	<i>Miacalcin - see calcitonin</i>	
	moxifloxacin ophthalmic (Vigamox)	for OR use only
O	octreotide (SandoSTATIN LAR)	Restricted from being administered at IMH, including ICS.
	<i>Orencia - see abatacept</i>	
P	pamidronate (Aredia)	Outpatient Only (for osteoporosis)
	<i>ProAir - see albuterol</i>	
	<i>Prolia - see denosumab</i>	
R	<i>Reclast - see zoledronic acid</i>	
	<i>Remicade - see inFLIXimab</i>	
	reslizumab (Cinqair)	Restricted from being administered at IMH, including ICS.
	risedronate (Actonel)	HB-SNF only, hold for inpatients
S	<i>SandoSTATIN LAR - see octreotide</i>	
	<i>Sivextro - see tedizolid</i>	
	<i>Stelara - see ustekinumab</i>	
	<i>Suboxone - see buprenorphine</i>	
	<i>Subutex - see buprenorphine</i>	
	<i>Synercid - see dalfopristin-quinupristin</i>	
T	tedizolid (Sivextro)	ID use only
	<i>Teflaro - see ceftaroline</i>	
	testosterone (Depo-Testosterone)	testosterone injection is special-order only for ICS, hold for inpatients/SNF.
	tigecycline (Tygacil)	ID use only
	tocilizumab (Actemra)	Restricted from being administered at IMH, including ICS.
	<i>Tygacil - see tigecycline</i>	
U	ustekinumab (Stelara)	Restricted from being administered at IMH, including ICS.
V	vedolizumab (Entyvio)	Restricted from being administered at IMH, including ICS.
	<i>Ventolin - see albuterol</i>	
	<i>Vigamox - see moxifloxacin ophthalmic</i>	
X	<i>Xgeva - see denosumab</i>	
	<i>Xopenex - see levalbuterol</i>	
Z	zoledronic acid (Reclast, Zometa)	Reclast (osteoporosis): Outpatient Only Zometa (hypercalcemia): not restricted.

Per policy, use of these medications is restricted as noted.

generic (Brand)

Comments

Zometa - see zoledronic acid