

PHARMACY CLEANROOM PPE AND STERILE IPA CONSERVATION STRATEGY

This information does not fully represent USP797 Standards. However in effort to maintain the most sterile environment and conserve PPE, the steps below will be used to mitigate supply depletion. 3/20/20

CURRENT STATE – FULL SUPPLY – USP 797 STANDARDS APPLY

- GOWNS – DO NOT REUSE
- MASK – DO NOT REUSE
- GLOVES – DOUBLE GLOVES IN BUFFER AND HD BUFFER ROOM
- BONNETS – DO NOT REUSE
- BOOTIES – DO NOT REUSE

MODERATE STORAGE – CONSERVATION STRATEGY IMPLEMENTED

- GOWNS - BUFFER ROOMS- USE UNTIL SOILED, TORN OR 5 DAYS USE; HD ROOM – ONE PER DAY
- MASK – USE ONE MASK PER DAY, MUST BE KEEP IN ISO SPACE WHEN NOT IN USE AND NOT SOILED OR TORN
- GLOVES – ONE PAIR OF GLOVES IN BUFFER ROOM, TWO PAIR OF GLOVES IN HD ROOMS . DO NOT REUSE
- BONNETS – DO NOT REUSE
- BOOTIES – PLACE SECOND OUTER PAIR OF BOOTIES IN HD ROOM FOR REUSE. DO NOT REUSE WHEN EXITING ANTE

SEVERE SHORTAGE WEEKLY SURFACE SAMPLING STARTS

- GOWNS – CONTINUE MODERATE SHORTAGE; INITIATE OR JACKETS AS GOWNS
- MASK – CONTINUE MODERATE SHORTAGE PROCEDURE; INITIATE BANDANAS OR WASHABLE CLOTH TYPE MASK
- GLOVES – CONTINUE MODERATE SHORTAGE PROCEDURE
- BONNETS – CONTINUE MODERATE SHORTAGE PROCEDURE; INITIATE OR WASHABLE CAPS OR BANDANA
- BOOTIES – CONTINUE MODERATE SHORTAGE PROCEDURE; INITIATE DESIGNATED SHOES

OUT OF SUPPLIES

- **IMMEDIATE USE BUD IN PLACE**

***Sterile IPA will be reserved for use on Direct Compounding Areas, Gloves between preps, and critical sites.
Non-Sterile IPA will be used for all items in the work room space to include items for passthrough wipe down.***